

SWATCHBOOK

FILMOMag



ONE TEAM – FIVE PRINCIPLES

Discover the five guiding principles of FILMOLUX

At FILMOLUX, we strive for challenges. When our customers encounter a problem, we want to rise to the occasion and find solutions that are cost-efficient, high-quality and tailored to their needs. Fulfilling your expectations is our highest priority. To reach this goal, we established five principles.

FILMOLUX – your address for high-quality products and reliable solutions.

WWW.FILMOLUX.COM



we take care ...



... of your solutions.

At FIMOLUX, we strive for challenges. When our customers encounter a problem, we want to rise to the occasion.

So, instead of only working for our customers, we work with them, finding products that are cost-efficient, high-quality and tailored to their needs.



... of reliability.

Reliability is one of the most important characteristics that a supplier can have. We make sure that the trust you have placed in us is not disappointed. It is the foundation of every good business relationship.



... of the environment.

Making a difference — isn't it everybody's responsibility? We are aware of our responsibility for the preservation of the environment for future generations. That is why we believe that quality and eco-friendliness can go hand in hand.

we take care ...



... of your values.

Protecting what is valuable: With the FILMOLUX brand, Neschen is considered the inventor of self-adhesive films for the professional repair and protection of books and documents. However, our journey does not end there. From offering sustainable products to supporting our customers every step of the way — we build on values.



... of your uniqueness.

We love uniqueness. Therefore, we constantly ask ourselves the following question: How can our products help you create unique projects? This leads us to continuously search for the trends of tomorrow and to regularly expand our portfolio.



(Eco) Solvent inks



Latex inks



UV curable inks



UV gel inks




UV offset inks



Screen print inks




Whiteboard surface



Material




Weight g/m²




Thickness µm



Apply on
self-adhesive
ferro films



Apply on
metallic
surface



Apply on
magnetic
base films





Apply on
self-adhesive
base films

FILMOMAG Film

Printable magnetic films

FILMOMag Film can be printed on its white side. The magnetic film then adheres with its backside to a metallic substrate.


Alternatively, it can adhere to a ferro film that has been applied to a non-metallic substrate.





FILMOMAG

FILM PET 300M W/B



ART.-NO.

6038311

6035786

6037453

6035787

SIZES

30 m × 107 cm

30 m × 127 cm


30 m × 137 cm

30 m × 152,4 cm



FILMOMAG

FILM PVC 400M W/B



ART.-NO.

6042467

6039924

6042474

SIZES

20 m × 61 cm

20 m × 100 cm

20 m × 127 cm



FILMOMAG

FILM PVC 500M W/B

| | | | |
|------------|-----------------------|-----------|--------------|
| UV CURABLE | UV GEL | UV OFFSET | SCREEN PRINT |
| | | | |
| PVC | 1450 g/m ² | 500 µm | |
| | | | |
| | | | |

ART.-NO.

6036771

6036546

6042506

SIZES


15 m × 61 cm

15 m × 100 cm

15 m × 127 cm



FILMOMAG FILM PVC 600M W/B



ART.-NO.

6008181

6035783

6042486

SIZES

15 m × 61 cm

15 m × 100 cm

15 m × 127 cm



FILMOMAG

FILM PVC 850M W/B

| | | | |
|------------|-----------------------|-----------|--------------|
| UV CURABLE | UV GEL | UV OFFSET | SCREEN PRINT |
| | | | |
| PVC | 2723 g/m ² | 850 µm | |
| | | | |
| | | | |

ART.-NO.

6029763

6035785

SIZES



15 m × 61 cm

15 m × 100 cm

FILMOMAG Ferro

Ferro films – an adhesive base for magnets and magnetic films

FILMOMag Ferro can be printed on its white side. The ferro film then adheres with its backside to a magnetic substrate.





FILMOMAG FERRO 180 PET W/B

| | | | | | |
|------------------|----------------------|------------|--------|-----------|-----------------|
| (ECO) SOLVENT | LATEX | UV CURABLE | UV GEL | UV OFFSET | SCREEN PRINT |
| PET | 340 g/m ² | 180 µm | | | |
| | | | | | |

ART.-NO.

6039025

6039216

6042494

SIZES


50 m × 107 cm

50 m × 137 cm

50 m × 152,4 cm



FILMOMAG FERRO 260 PP W/B



ART.-NO.

6042482

6042483

6042484

SIZES

50 m × 107 cm

50 m × 137 cm

50 m × 152,4 cm



FILMOMAG FERRO 450 W/B ADH PRINT

UV CURABLE



UV GEL



UV OFFSET



SCREEN
PRINT



PVC



1880 g/m²



740 µm



ART.-NO.

6042741

SIZES

20 m × 127 cm



FILMOMAG FERRO 550G ADH WHITEBOARD



ART.-NO.

6042507

6042508

SIZES



20 m × 100 cm

20 m × 120 cm

FILMOMAG Base

Basic magnetic films

FILMOMag Base – our base films provide a magnetic or metallic substrate for FILMOMag Film or Ferro.





FILMOMAG BASE FERRO 450 B/B ADH

1925 g/m²



700 µm



ART.-NO.

6042487

SIZES

20 m × 107 cm

6042488

20 m × 127 cm



FILMOMAG BASE 550 B/B ADH

1925 g/m²



700 µm



ART.-NO.

6042476

SIZES

15 m × 61 cm

6042478

15 m × 100 cm



FILMOMAG BASE 750 B/B ADH

2615 g/m²



900 µm



ART.-NO.

6042479

SIZES

15 m × 61 cm

6042480

15 m × 100 cm



FILMOMAG BASE 500 B/B

1725 g/m²



500 µm



ART.-NO.

6042490

SIZES

15 m × 61 cm

6024055

15 m × 100 cm



FILMOMAG BASE 750 B/B

2580 g/m²



750 µm



ART.-NO.

6042491

SIZES

15 m × 61 cm

6042492

15 m × 100 cm

HAVE YOU EXPLORED NESCHEN'S OTHER PRODUCT PORTFOLIOS?



EASY DOT®
Self-adhesive media



WALLPAPER
Printable wallpapers, PVC-free



FLOOR GRAPHICS
Printable floor stickers



easySTYLE
Self-adhesive furniture film



PROTECTION-FILMS
Protects and enhances

④ **Filmolux Deutschland GmbH**
+49 (0) 5722 207-50
info@filmolux.de
www.filmolux.de

⑤ **Filmolux Austria GmbH**
+43 2262 / 61122-0
office@filmolux.at
www.filmolux.at

⑥ **Filmolux Benelux B.V.**
⑦ +31 (0)572 346 000
⑧ info@filmolux.nl
www.filmolux.nl

⑨ **Filmolux Sarl**
+33 (0) 1 49 62 03 80
info@filmolux.com.fr
www.filmolux.com.fr

⑩ **Filmolux Italia S.R.L.**
+39 (0) 373-237911
info@filmolux.it
www.filmolux.it

⑪ **Filmolux Swiss AG**
+41 267 33 00
info@filmolux.ch
www.filmolux.ch

⑫ **Filmolux Scandinavia AB**
+46 10-1791100
info@filmolux.se
www.filmolux.se